

The Good Shepherd Catholic Primary School



*Following Jesus,
The Good Shepherd,
in all we say and do*

Year 3 \times and \div Calculation Policy



Following Jesus, The Good Shepherd, in all we say and do

Year 3			
	Block 1	Block 2	Block 3
Calculation content	<p>MULTIPLICATION AND DIVISION (UNIT 1)</p> <ul style="list-style-type: none"> • 5 × table (r) • 4 × table • 8 × table • 3 × table • Dividing by 4 • Dividing by 8 • Dividing by 3 <p>FRACTIONS (UNIT 1)</p> <ul style="list-style-type: none"> • Finding unit fractions of quantities <p>MULTIPLICATION AND DIVISION (UNIT 2)</p> <ul style="list-style-type: none"> • Multiplying by teen numbers (partitioning) • Multiplying multiples of ten by 1digit numbers • Multiplying 2-digit numbers by 4 (expanded column method) • Multiplying 2-digit numbers by 8 (expanded column method) 	<p>MONEY AND DECIMALS (UNIT 1) n/a</p> <p>MULTIPLICATION AND DIVISION (UNIT 3)</p> <ul style="list-style-type: none"> • 4 × table (r) • 8 × table (r) • 3 × table (r) • Multiplying teen numbers (partitioning) and multiplying multiples of ten (r) • Multiplying 2-digit numbers by 3 (expanded column method) • Division facts linked to the 4 and 8 × tables (r) • Division facts linked to the 3 × table (r) • Dividing multiples of ten • Dividing by partitioning (÷ by 4 and 8) • Dividing by partitioning (÷ by 3) <p>FRACTIONS (UNIT 2) n/a</p>	<p>CALCULATION UNIT</p> <ul style="list-style-type: none"> • Multiplying 2-digit numbers (compact column method) • Dividing a 2-digit number (short division) <p>MONEY AND DECIMALS (UNIT 2) n/a</p>



Following Jesus, The Good Shepherd, in all we say and do

Year 3			
	Block 1	Block 2	Block 3
Strategies/ methods	<p><u>5 × table (r)</u> Block 1 begins by revisiting the 5 × table and introduces some new vocabulary to children (factor, multiplier, multiplicand and product). Children's understanding is deepened as they encounter arrays on blank multiplication grids. As learning progresses these arrays become partitioned and children are exposed to the distributive property of multiplication: $6 \times 5 = 2 \times 5 + 4 \times 5$.</p> <p><u>4 × table</u> Learning about the 4 × table also continues to make use of arrays. They revisit learning from Year 2 that whilst the repeated addition describes the arrays, $4 + 4 + 4 + 4 + 4 + 4$ is not as efficient as 6×4. They learn that multiplication takes precedence over addition.</p> <p>Children continue to be exposed to the distributive property of multiplication (not referred to as such) to deepen understanding about multiplication.</p>	<p><u>4, 8 and 3 × tables (revision)</u> × and ÷ Unit 3 begins with revision of the 4, 8 and 3 × tables. No new representations are encountered. Teaching stresses the commutative nature of multiplication and shows how we obtain the same product regardless of the order of the factors.</p> <p>The multiplication grid may look a bit like a 100 square, but it works in a very different way. The multiplication grid is actually arrays. The first grid shows 5 rows of 4. The second shows 4 columns of 5.</p> <p>Children continue to be exposed to the distributive property of multiplication (not referred to as such) to deepen understanding about multiplication. For example: $10 \times 3 + 2 \times 3 = 12 \times 3$.</p>	<p><u>Multiplying 2-digit numbers (compact column method)</u> Children have multiplied numbers by using partitioning, including representing this partitioning with the expanded column method. Arrays and base ten representations support conceptual understanding as the compact column method is introduced. The use of language is key to ensure conceptual understanding, particularly around the exchanging of ones for tens.</p> <p><u>Language for 36×3</u> $6 \text{ ones} \times 3 = 18 \text{ ones} = 1 \text{ ten and } 8 \text{ ones.}$</p> <p>$3 \text{ tens} \times 3 = 9 \text{ tens} + \text{the } 1 \text{ ten} = 10 \text{ tens} = 1 \text{ hundred.}$</p>



Following Jesus, The Good Shepherd, in all we say and do

Year 3			
	Block 1	Block 2	Block 3
Strategies/ methods	<p><u>8 × table</u> Learning the 8 × table makes links to children's developing knowledge of the 4 × table, eg: $2 \times 4 = 8$ $2 \times 8 = 16$ Children continue to encounter arrays and are introduced to the open array. In an open array, the squares or individual objects are not indicated within the interior of the array rectangle. An open array does not have to be drawn to scale. The challenge task in the 4 × table lesson involved exploring the pattern formed in the ones digits of the products. In the 8 × table lesson all children explore the pattern formed in the products of the 8 × table.</p>	<p><u>Multiplying by teen numbers and multiplying multiples of ten (r) × and ÷</u> Unit 2 introduced multiplying by teen numbers: finding facts beyond the multiplication tables, using facts from within them. Arrays supported conceptual understanding. Unit 3 introduces a numeric representation to support conceptual understanding of the partitioning method. Children consolidate their understanding of multiplying multiples of ten.</p>	<p><u>Dividing a 2-digit number (short division)</u> Children have experience of division facts linked to the multiplication tables they know and also of using partitioning to divide. They are now introduced to the formal algorithm for short division. The following sequence is followed:</p> <ul style="list-style-type: none">• both digits in a 2-digit number are multiples of the divisor (eg $69 \div 3$);• 2-digit number is a multiple of the divisor, but the tens digit is not (eg $75 \div 3$). <p>Base 10 and the partitioning method support conceptual understanding.</p> <p><u>Using base 10 for $75 \div 3$</u> Share the 6 of the tens equally between three groups. You have one ten left over. It cannot be shared, so say: Let's exchange 1 ten for 10 ones. Now we have 15 ones. Share the 15 ones equally between the three groups.</p>



Following Jesus, The Good Shepherd, in all we say and do

	Block 1	Block 2	Block 3
Strategies/ methods	<p><u>3 × table</u> The final multiplication table learnt in Year 3 is the 3 × table. The emphasis in learning here is to use a known fact to derive a new fact, eg:</p> <p>6 × 3 = 18 so 7 × 3 = 18 plus one more lot of 3 = 21. After children have been introduced to the 4, 8 and 3 multiplication tables teachers provide plenty of opportunities for these to be practised.</p> <p>When children commit multiplication table facts to memory, they do so using a verbal sound pattern to associate the 3 relevant numbers, for example, “seven threes make twenty-one”. It is important to provide opportunities for pupils to verbalise each multiplication fact as part of the process of developing fluency. (DfE Ready to Progress guidance)</p> <p>Read them as ‘One three is three; two threes make six; three threes make nine’ etc.</p>	<p><u>Multiplying 2-digit numbers by 3 × and ÷</u> Unit 2 introduced the expanded column method to multiply 2-digit numbers by 4 and 8. (These are multiplication tables children typically have better recall of than the 3 × table.)</p> <p>Multiplying 2-digit numbers by 3 is introduced in Unit 3. Base 10 supports understanding of the expanded column method.</p> <p>Accurate use of language is key to ensuring conceptual understanding.</p> <p>For example: 8 ones × 3 = 24 ones = 24 6 tens × 3 = 18 tens = 180</p>	<p><u>Using partitioning for 75 ÷ 3</u> Partition 75 into parts that are divisible by 3, highlighting that those parts are 60 and 15 not 70 and 5.</p> <p>Divide each part by 3. Combine the parts to obtain 25.</p> <p><u>Using short division for 75 ÷ 3</u> Write the dividend (75) and then draw the frame. Write the divisor on the left of the dividend. Say: 7 tens ÷ by 3 = 2 tens with 1 ten left over. Exchange 1 ten for 10 ones. 15 ones divided by 3 = 5 ones.</p>



Following Jesus, The Good Shepherd, in all we say and do

	Block 1	Block 2	Block 3
Strategies/ methods	<p><u>4, 8 and 3 × tables</u> A problem solving lesson concludes the work on multiplication facts.</p> <p>Children encountered the multiplication grid in Year 2. The problem solving lesson seeks to further develop children's understanding of the multiplication grid. They will need this knowledge for the division lessons where they will learn to use the multiplication grid to derive division facts. The division lessons begin with starter activities revisiting multiplication facts. One of the representations encountered in these activities is the multiplication grid.</p>	<p><u>Dividing by 4, 8 and 3 (r)</u> The second half of the unit focuses on division and begins with revision of division facts linked to the 4, 8 and 3 × tables. Children are reminded how to use the multiplication grid to obtain division facts and about the sharing/grouping structures for division. Relationship triangles reinforce the connections between multiplication and division. Children solve problems involving division facts linked to the 4, 8 and 3 × tables.</p> <p><u>Dividing multiples of ten</u> Children have experienced using known facts in unit 2 (and earlier in this unit) when they multiplied multiples of ten. They now use scaling for division facts derived from multiplication tables. Use of language is key. 6 ones divided by 3 = 2 ones 6 tens divided by 3 = 2 tens $60 \div 3 = 20$</p>	

Year 3			
	Block 1	Block 2	Block 3



Following Jesus, The Good Shepherd, in all we say and do

<p>Strategies/ methods</p>	<p><u>Dividing by 4</u> Learning to divide by 4 introduces some new vocabulary to children (dividend, divisor and quotient). In Year 2 children encountered two division structures, sharing and grouping. This continues in Year 3 and they interpret diagrams using both structures. Children should be familiar with the relationship triangle and these are used to promote links between multiplication facts and division facts. Teaching introduces children to using the multiplication grid to find division facts.</p> <p><u>Dividing by 8</u> Learning to divide by 8 continues to develop understanding of sharing and grouping. Children are encouraged to make direct comparisons between the two structures. They continue to use the multiplication grid to find division facts.</p>	<p><u>Dividing by partitioning</u> Children's experience of division now extends to situations where the dividend is not in the multiplication tables they know. They learn to partition the dividend into multiples of the divisor. In the case of $56 \div 4$ one way to partition 56 would be 40 and 16. Each part is then divided by 4 and the resulting quotients combined.</p> $56 \div 4 =$ $40 \div 4 + 16 \div 4 =$ $10 + 4 = 14$ <p>Clearly the dividend can be partitioned into any multiples of the divisor.</p> $56 \div 4 =$ $20 \div 4 + 36 \div 4 =$ $5 + 9 = 14$	
--------------------------------	--	--	--



Following Jesus, The Good Shepherd, in all we say and do

Year 3			
	Block 1	Block 2	Block 3
Strategies/ methods	<p><u>Dividing by 3</u> The final lesson of the unit focuses on dividing by 3. The concepts (sharing and grouping) and representations (arrays, relationship triangles and multiplication grids) should be familiar to the children.</p> <p><u>Finding unit fractions of quantities</u> Children have had lots of experience finding halves, thirds and quarters from Year 2 and earlier in the Year 3 fractions unit. That experience is now extended to finding fifths, eighths and tenths (linked to multiplication tables they should know/be learning). Teaching stresses the connection between a unit fraction of a quantity and dividing that quantity by the denominator.</p> <p>Visual representations and careful use of language support understanding. Learning progresses from describing situations where the value of a part is visible to situations where the value of a part cannot be seen.</p>		



Following Jesus, The Good Shepherd, in all we say and do

Year 3			
	Block 1	Block 2	Block 3
Strategies/ methods	<p><u>Multiplying by teen numbers</u> Children have considerable experience of partitioning arrays to derive multiplication facts within the multiplication tables. This is now extended to derive facts beyond the multiplication tables, using facts from within them.</p> <p><u>Multiplying multiples of ten by 1-digit numbers</u> Scaling is used to derive new facts from known facts. For example: $6 \times 3 = 18$ $60 \times 3 = 6 \text{ tens} \times 3 = 18 \text{ tens} = 180$ Base ten is used to support conceptual understanding. As you say '18 tens' it is useful to write <u>180</u> (underlining the zero as you say 'tens'). Then read 18 tens/<u>180</u> as one hundred and eighty/180.</p>		



Following Jesus, The Good Shepherd, in all we say and do

Year 3			
	Block 1	Block 2	Block 3
Strategies/ methods	<p><u>Multiplying 2-digit numbers by 4</u> Learning from the previous two steps, multiplying teen numbers and multiplying multiples of ten, is used to introduce children to the expanded column method for multiplication. This is done by solving a calculation using a known method (partitioning an array), then solving the same calculation with base 10 blocks and finally using the expanded column method. Teaching makes connections between all three representations.</p> <p><u>Multiplying 2-digit numbers by 8</u> Arrays continue to support understanding, but the emphasis moves more towards base 10 supporting understanding of the expanded column method.</p> <p>Accurate use of language is key. For example: 5 ones \times 8 = 40 ones = 40 3 tens \times 8 = 24 tens = 240</p>		




Following Jesus, The Good Shepherd, in all we say and do


Year 3 - Block 1

$$6 \times 5 = 30$$

5 x table (r)



$$2 \times 5 = \square$$
$$4 \times 5 = \square$$
$$\square \times 5 = 30$$



array on grid



Following Jesus, The Good Shepherd, in all we say and do

Year 3 - Block 1


$$6 \times 4 = 24$$

4 x table

$$4 + 4 + 4 + 4 + 4 + 4 = 6 \times 4$$

repeated addition

multiplication



array

ALL:

$$\boxed{6} \times \boxed{4} = \boxed{24}$$

PARTS:

$$\boxed{4} \times \boxed{4} = \boxed{16}$$

$$\boxed{2} \times \boxed{4} = \boxed{8}$$

distributive property of multiplication




Following Jesus, The Good Shepherd, in all we say and do

Year 3 - Block 1

2×8 is double 2×4

8 x table



open arrays




Following Jesus, The Good Shepherd, in all we say and do


Year 3 - Block 1

$$20 \div 4 = 5$$


Dividing by 4



partitive (sharing) division structure



quotitive (grouping) division structure



relationship triangle

×	1	2	3	4
1	1	2	3	4
2	2	4	6	8
3	3	6	9	12
4	4	8	12	16
5	5	10	15	20
6	6	12	18	24
7	7	14	21	28
8	8	16	24	32
9	9	18	27	36
10	10	20	30	40
11	11	22	33	44
12	12	24	36	48

multiplication grid being used to find division fact




Following Jesus, The Good Shepherd, in all we say and do

Year 3 - Block 1


$$32 \div 8 = 4$$

Dividing by 8

$$32 \div 8 = 4$$



partitive (sharing)
division structure



quotitive (grouping)
division structure

×	1	2	3	4	8
1	1	2	3	4	8
2	2	4	6	8	16
3	3	6	9	12	24
4	4	8	12	16	32
5	5	10	15	20	40
6	6	12	18	24	48
7	7	14	21	28	56
8	8	16	24	32	64
9	9	18	27	36	72
10	10	20	30	40	80
11	11	22	33	44	88
12	12	24	36	48	96

multiplication grid
being used to find
division fact




Following Jesus, The Good Shepherd, in all we say and do


Year 3 - Block 1

$$12 \div 3 = 4$$


Dividing by 3



partitive (sharing) division structure



quotitive (grouping) division structure



relationship triangle

×	1	2	3	4	8
1	1	2	3	4	8
2	2	4	6	8	16
3	3	6	9	12	24
4	4	8	12	16	32
5	5	10	15	20	40
6	6	12	18	24	48
7	7	14	21	28	56
8	8	16	24	32	64
9	9	18	27	36	72
10	10	20	30	40	80
11	11	22	33	44	88
12	12	24	36	48	96

multiplication grid being used to find division fact




Following Jesus, The Good Shepherd, in all we say and do


Year 3 - Block 1

$$\frac{1}{8} \text{ of } 24 = 3$$

Finding unit fractions of quantities



value of a part is visible



value of a part is *not* visible

**Kate has a jar of 24 sweets.
 $\frac{1}{8}$ of them are in red
wrappers, the rest are in
green.
How many sweets are in
red wrappers?**

problem solving

The whole is .

The whole is divided
into equal parts.

Each part is of the whole.

$\frac{1}{8}$ of 24 is .





Following Jesus, The Good Shepherd, in all we say and do

Year 3 - Block 1

$$13 \times 8 = 104$$

Multiplying by teen numbers

How many sides altogether?



$$13 \times 8 = 104$$



Following Jesus, The Good Shepherd, in all we say and do


Year 3 - Block 1

$$6 \times 3 = 18 \text{ so } 60 \times 3 = 180$$

Multiplying multiples of ten by 1-digit numbers



$$6 \text{ ones} \times 3 = 18 \text{ ones} = 18$$



$$6 \text{ tens} \times 3 = 18 \text{ tens} = 180$$





Following Jesus, The Good Shepherd, in all we say and do

Year 3 - Block 1

$15 \times 4 = 60$

Multiplying 2-digit numbers by 4



Step 1: Multiply the ones

5 ones \times 4 = 20 ones = 20

Step 2: Multiply the tens

1 ten \times 4 = 4 tens = 40

Step 3: Combine the parts

	T	O
	1	5
\times		4
	2	0
	4	0
	6	0



Following Jesus, The Good Shepherd, in all we say and do

Year 3 - Block 1

$$35 \times 8 = 280$$

Multiplying 2-digit numbers by 8

Step 1: Multiply the ones



$$\square \text{ ones} \times \square = \square \text{ ones} = \square$$

Step 2: Multiply the tens

$$\square \text{ tens} \times \square = \square \text{ tens} = \square +$$

Step 3: Combine the parts

	T	O
	3	5
x		8
	4	0
2	4	0
2	8	0





Following Jesus, The Good Shepherd, in all we say and do

Year 3 - Block 2

$$5 \times 4 = 20 \bullet 4 \times 5 = 20$$

4, 8 and 3 × tables (revision)

START

→

×	1	2	3	4	5	6	7	8	9	10
1	1	2	3	4	5	6	7	8	9	10
2	2	4	6	8	10	12	14	16	18	20
3	3	6	9	12	15	18	21	24	27	30
4	4	8	12	16	20	24	28	32	36	40
5	5	10	15	20	25	30	35	40	45	50
6	6	12	18	24	30	36	42	48	54	60
7	7	14	21	28	35	42	49	56	63	70
8	8	16	24	32	40	48	56	64	72	80
9	9	18	27	36	45	54	63	72	81	90
10	10	20	30	40	50	60	70	80	90	100

$$5 \times 4 = 20$$

START

→

×	1	2	3	4	5	6	7	8	9	10
1	1	2	3	4	5	6	7	8	9	10
2	2	4	6	8	10	12	14	16	18	20
3	3	6	9	12	15	18	21	24	27	30
4	4	8	12	16	20	24	28	32	36	40
5	5	10	15	20	25	30	35	40	45	50
6	6	12	18	24	30	36	42	48	54	60
7	7	14	21	28	35	42	49	56	63	70
8	8	16	24	32	40	48	56	64	72	80
9	9	18	27	36	45	54	63	72	81	90
10	10	20	30	40	50	60	70	80	90	100

$$4 \times 5 = 20$$


commutative property of multiplication on the multiplication grid




Following Jesus, The Good Shepherd, in all we say and do

Year 3 - Block 2

Multiplying by teen numbers and multiplying multiples of ten (r)





Partitioning an array to multiply



Numeric representation of partitioning method







$9 \times 4 =$

 ones $\times 4 =$
 ones
 $=$ 



$90 \times 4 =$

 tens $\times 4 =$
 tens
 $=$ 



Using known facts to multiply multiples of ten



Following Jesus, The Good Shepherd, in all we say and do



Year 3 - Block 2

$68 \times 3 = 204$

Multiplying 2-digit numbers by 3

A toy shop has 68 tricycles for sale.

How many wheels are there altogether on the tricycles?




Step 1: Multiply the ones

$8 \text{ ones} \times 3 = 24 \text{ ones} = 24$

Step 2: Multiply the tens

$6 \text{ tens} \times 3 = 18 \text{ tens} = 180$

Step 3: Combine the parts



	T	O	
	6	8	
x		3	
<hr/>			
	2	4	
+	1	8	0
	2	0	4
	1		



Following Jesus, The Good Shepherd, in all we say and do

Year 3 - Block 2


$24 \div 4 = 6$

Dividing by 4, 8 and 3 (r)


x	1	2	3	4	5	6	7	8	9	10
1	1	2	3	4	5	6	7	8	9	10
2	2	4	6	8	10	12	14	16	18	20
3	3	6	9	12	15	18	21	24	27	30
4	4	8	12	16	20	24	28	32	36	40
5	5	10	15	20	25	30	35	40	45	50
6	6	12	18	24	30	36	42	48	54	60
7	7	14	21	28	35	42	49	56	63	70
8	8	16	24	32	40	48	56	64	72	80
9	9	18	27	36	45	54	63	72	81	90
10	10	20	30	40	50	60	70	80	90	100

$24 \div 4 = 6$





obtaining division facts from the multiplication grid



partitive (sharing) division structure



quotitive (grouping) division structure



relationship triangles




Following Jesus, The Good Shepherd, in all we say and do

Year 3 - Block 2

$$6 \div 3 = 2 \bullet 60 \div 3 = 20$$

Dividing multiples of ten



6 ones divided by 3 = 2 ones

6 tens divided by 3 = 2 tens $60 \div 3 = 20$



Following Jesus, The Good Shepherd, in all we say and do


Year 3 - Block 2

$56 \div 4 = 14$


Dividing by partitioning

The chairs need to be arranged in rows of four. How many rows will there be altogether?

1 stack = 8 chairs



pictorial representation



Numeric representation-
Dividing by partitioning



Following Jesus, The Good Shepherd, in all we say and do

Year 3 - Block 3

$36 \times 3 = 108$

Multiplying 2-digit numbers (compact column method)

H	T	O
	3	6
×		3
<hr/>		
	1	8
+		
	9	0
<hr/>		
1	0	8

expanded column method

Step 1: Multiply the ones




$6 \text{ ones} \times 3 = 18 \text{ ones} = 1 \text{ ten and } 8 \text{ ones}$

Step 2: Multiply the tens

$3 \text{ tens} \times 3 = 9 \text{ tens} = 90$

$+ 1 \text{ ten}$

$= 10 \text{ tens} = 1 \text{ hundred}$



H	T	O
	3	6
×		3
<hr/>		
1	0	8
	1	





compact column method



Following Jesus, The Good Shepherd, in all we say and do

Year 3 - Block 3

Dividing a 2-digit number (short division)

Both digits in the 2-digit number are multiples of the divisor			2-digit number is a multiple of the divisor, but the tens digit is not																										
 <p>BEFORE</p>	 <p>69 ÷ 3 =</p> <p>60 ÷ 3 = 20</p> <p>9 ÷ 3 = 3</p> <p>23</p>	<table border="1" data-bbox="829 495 1018 673"><tr><td></td><td>2</td><td>3</td></tr><tr><td>3</td><td>6</td><td>9</td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></table> <p>6 tens ÷ by 3 = 2 tens</p> <p>9 ones ÷ by 3 = 3 ones</p>		2	3	3	6	9							 <p>BEFORE</p>	 <p>75 ÷ 3 =</p> <p>60 ÷ 3 = 20</p> <p>15 ÷ 3 = 5</p> <p>25</p>	<table border="1" data-bbox="1774 495 1963 673"><tr><td></td><td>2</td><td>5</td></tr><tr><td>3</td><td>7</td><td>15</td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></table> <p>7 tens ÷ by 3 = 2 tens, with 1 ten left over</p> <p>Exchange 1 ten for 10 ones</p> <p>15 ones ÷ by 3 = 5 ones</p>		2	5	3	7	15						
	2	3																											
3	6	9																											
	2	5																											
3	7	15																											

base 10

partitioning the dividend

short division